

Oracle User Group Norway, April 22nd 2008

Oracle Security Basics

By
Pete Finnigan

Written Friday, 25th January 2008

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

1

Introduction - Commercial Slide. ☹️

- PeteFinnigan.com Limited
- Founded February 2003
- CEO Pete Finnigan
- Clients UK, States, Europe
- Specialists in researching and securing Oracle databases
- <http://www.petefinnigan.com>
- Consultancy and training available
- Author of Oracle security step-by-step
- Published many papers, regular speaker (UK, USA, Slovenia, Norway, more)
- Member of the Oak Table Network



25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

2

Agenda

- What is Oracle Security?
- Basic Oracle security tenets
- Why a database must be secured
- How can a database be breached?
- Key security issues
 - Problems
 - Fixes
- Covering the basics
- What to do next

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

3

What Is Oracle Security?

- Performing a security audit of an Oracle database?
- Securely configuring an Oracle database?
- Designing a secure Oracle system before implementation?
- Using some of the key security features
 - Audit, encryption, RBAC, FGA, VPD...
- Oracle security is about all of these
 - **It is about creating a secure database and storing critical / valuable data securely**

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

4

What's involved in securing data?

- Perform an Oracle Security audit
- Design a secure installation
- Perform database hardening
 - New database or existing (both of the above)
- Choose and use Security features where relevant e.g.
 - Encryption in the database for credit cards
 - TDE for secure data on disk
 - VPD to enable secure access to critical data

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

5

The Basic Tenets Of Oracle Security

- Reduce the version / installed product to that necessary
- Reduce the users / schemas
- Reduce and design privileges to least privilege principal
- Lock down basic configurations
- Audit
- Clean up

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

6

Why Do Hackers Steal Data?

- Data is often the target now not system access; this can be for
- Identity theft to clone identities
- Theft of data to access money / banks
- <http://www.petefinnigan.com/weblog/archives/00001129.htm> - 25 million child benefit identities lost on two discs (not stolen but lost)
- Scarborough & Tweed SQL Injection - <http://doj.nh.gov/consumer/pdf/ScarboroughTweed.pdf>
- Insider threat is now greater than external threats

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

7

Internal Or External Attacks

- Internal attacks are shown to exceed external attacks in many recent surveys
- The reality is likely to be worse as surveys do not capture all details or all companies
- With Oracle databases external attacks are harder and are likely to involve
 - application injection or
 - Buffer Overflow or
 - Protocol attacks
- Internal attacks could use any method for exploitation. The issues are why:
 - True hackers gain access logically or physically
 - Power users have too many privileges
 - Development staff
 - DBA's

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

8

How Easy Is It To Attack?

- Many and varied attack vectors
- Passwords are the simplest – find, guess, crack
- Bugs that can be exploited
- SQL injection
- Denial of Service
- Exploit poor configuration – access OS files, services
- Network protocol attacks
- Buffer overflows, SQL buffer overflows
- Cursor injection
- More ?

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

9

Example Exploit

```

Oracle SQL*Plus
File Edit Search Options Help
SQL> sho user
USER is 'SCOTT'
SQL> @10g_exploit

-----
USERNAME          GRANTED_ROLE          ADM DEF OS_
-----
SCOTT              APP_ROLE               NO YES NO
SCOTT              CONNECT                NO YES NO
SCOTT              RESOURCE               NO YES NO

PL/SQL procedure successfully completed.

-----
USERNAME          GRANTED_ROLE          ADM DEF OS_
-----
SCOTT              APP_ROLE               NO YES NO
SCOTT              CONNECT                NO YES NO
SCOTT              DBA                    NO YES NO
SCOTT              RESOURCE               NO YES NO

SQL> |
    
```

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

10

Example Exploit (2)

```

select * from user_role_privs;

DECLARE
c3ya2Vy NUMBER;
BEGIN
c3ya2Vy := DEMS_SQL_OPEN_CURSOR
DEMS_SQL_PARSE(c3ya2Vy,util_encode(text_decode(
:20Vj50FYZ28wcmFm6EgV2V8b25v89s1c19cmFucaFjd01vbjagYmNw4g22h1Y3V0Z28pbnw1I201bd09g2dd905UIEKQBRyR
3T090V
cctV29+bm1002VuzDe=', 'HEX130H$5FP1', UTIL_ENCODE(BASE64), 0);
SYS.LT.FINDPROCSET('T0V22wqMSBj21e2SP1Ddp_U2VlLnR0bG9VZXTp' || dbms_sql_execute(')|c3ya2Vy|'))
END;

select * from user_role_privs;
    
```

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

11

Stay Ahead Of The Hackers

- When deciding what to audit and how to audit a database you must know what to look for:
 - Existing configuration issues and security vulnerabilities are a target
 - Remember hackers don't follow rules
 - Combination attacks (multi-stage / blended) are common
- The solution: Try and think like a hacker – be suspicious

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

12

General Oracle Security Info

- Vulnerabilities and exploits:
 - SecurityFocus – www.securityfocus.com
 - Milw0rm – www.milw0rm.com
 - PacketStorm – www.packetstorm.org
 - FrSirt – www.frSirt.com
 - NIST – <http://nvd.nist.gov>
 - CERT – www.kb.cert.org/vulns
- Tools – <http://www.petefinnigan.com/tools.htm>
 - Who_has scripts, CIS benchmark, Scuba, rorascanner, Metacortex, cqure, many more
- Papers, blogs, forums, books
- Checklists
 - CIS Benchmark - http://www.cisecurity.org/bench_oracle.html
 - SANS S.C.O.R.E - <http://www.sans.org/score/oraclechecklist.php>
 - Oracle's own checklist - http://www.oracle.com/technology/deploy/security/pdf/twp_security_checklist_db_database_20071108.pdf
 - DoD STIG - <http://ase.disa.mil/stigs/stig/database-stig-v8r1.zip>
- Websites – petefinnigan.com, cqure, RDS, Argeniss, databassecurity.com

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

13

The Basic Security Measures

- The access issue
- The key security issues (market knowledge)
- Key issues to investigate
- Get the basics right

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

14

The Access Issue

- A database can only be accessed if you have three pieces of information **11gR1 has broken this!!**
 - The IP Address or hostname
 - The Service name / SID of the database
 - A valid username / password
- Lots of sites I see:
 - Deploy tnsnames to all servers and desktops
 - Allow access to servers (no IP blocking)
 - Create guessable SID/Service name
 - Don't change default passwords or set weak ones
- Do not do any of these!

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

15

What to audit (First?)

- Perform a password audit – use a tool such as woraauthbf – http://www.soonerorlater.hu/index.khtml?article_id=513
- Reduce network access and leakage
- Review the listener
- File system
 - look for passwords
 - permissions
- Audit basic configuration
 - Parameters
 - User accounts that exist
 - Privileges on objects
 - Privileges assigned to users
- Use one of the free tools – CIS, OScanner, Scuba (They have issues)
- Or one of my scripts, who_can_access.sql, find_all_privs.sql, who_has_role.sql, who_has_priv.sql – see <http://www.petefinnigan.com/tools.htm>

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

16

Password Cracker (1)

Run in SQL*Plus http://soonerorlater.hu/download/woraauthbf_src_0.2.zip
http://soonerorlater.hu/download/woraauthbf_0.2.zip

```
Select u.name||':'||u.password
||':'||substr(u.spare4,3,63)
||':'||d.name||':'
||sys_context('USERENV','SERVER_HOST')||':'
from sys.user$ u, sys.V_$DATABASE d where u.type#=1;
```

Create a text file with the results – mine is called 11g_test.txt

```
SCOTT:9B5981663723A979:71C46D7FD2AB8A607A93489E899C0
8FFDA75B147030761978E640EF57C35:ORAL1G:vostok:
```

Then run the cracker

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

17

Password Cracker (2)

```
C:\WINDOWS\system32\cmd.exe
C:\lazz\release_code_cracker\woraauthbf_0.2\woraauthbf -p 11g_test2.txt -t 11g
10g -m 5 -c alphanumeric
The number of processors: 2
Number of puds to check: 60466176
Number of puds to check by thread: 30233088
Password file: 11g_test2.txt, charset: alphanumeric, maximum length: 5, type: 11g10g
Start: 0 End: 30233088
Password found: SCOTT:Cra3k:ORAL1G:vostok
Elapsed time: 11s
Checked passwords: 10798392
Password / Second: 1006300
```

As you can see the password is found – running at over 1million hashes per second

Woraauthbf can also be used to crack from authentication sessions

Woraauthbf can be used in dictionary or brute force mode

Use it to check user=pwd and defaults

76 million hashes per second is possible for \$900!!

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

18

SIDGuesser

```
C:\WINDOWS\system32\cmd.exe
C:\pete_finnigan_con_ltd\presentations\tools>sidguesser -i 127.0.0.1 -p 1521 -d sidlist.txt
SIDGuesser v1.0.5 by patrik@cqure.net

Starting Dictionary Attack (<space> for stats, Q for quit) ...

C:\pete_finnigan_con_ltd\presentations\tools>sidguesser -i 127.0.0.1 -p 1522 -d sidlist.txt
SIDGuesser v1.0.5 by patrik@cqure.net

Starting Dictionary Attack (<space> for stats, Q for quit) ...
FOUND SID: ORA10GR2

C:\>
```

From http://www.cqure.net/tools/SIDGuesser_win32_1_0_5.zip

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

19

User Enumeration

```
C:\WINDOWS\system32\cmd.exe
C:\pete_finnigan_con_ltd\presentations\tools\oak>
C:\pete_finnigan_con_ltd\presentations\tools\oak>ora-userenum 127.0.0.1 1522 ora10gr2 users.txt
SYS exists
SYSTEM exists
OULM exists
ADB exists
DBSNMP exists
SCOTT exists
MMSYS exists
CIXSYS exists
MDSYS exists
QS exists
SH exists
DBSNMP exists

C:\pete_finnigan_con_ltd\presentations\tools\oak>
```

From <http://www.databassecurity.com/dbsec/OAK.zip>
SYS and SYSTEM always exist so passwords guesses can be attempted
Other users can "almost" certainly be there as well - DBSNMP for instance

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

20

RBAC

- Review the complete RBAC model
- Understand default schemas installed and why
- Understand the application schemas
 - Privileges, objects, resources
- Understand which accounts are Admin / user / Application Admin etc
 - Consider privileges, objects, resources
- lock accounts if possible
 - reduce attack surface

Use.sql demo

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

21

Secure Listener by Default?

```
STATUS of the LISTENER
-----
Alias                LISTENER
Version              TNSLSNR for Linux: Version 11.1.0.6.0 -
Production
Start Date           31-OCT-2007 09:06:14
Uptime               0 days 4 hr. 56 min. 27 sec
Trace Level          off
Security             ON: Local OS Authentication
SNMP                 OFF
Listener Parameter File /oracle/11g/network/admin/listener.ora
Listener Log File   /oracle/diag/tnslsnr/vostok/listener/alert/log.xml
Start Date           31-OCT-2007 09:06:14
Uptime               0 days 4 hr. 56 min. 27 sec
Trace Level          off
Security             ON: Local OS Authentication
SNMP                 OFF
Listener Parameter File /oracle/11g/network/admin/listener.ora
Listener Log File   /oracle/diag/tnslsnr/vostok/listener/alert/log.xml
Listening Endpoints Summary...
  (DESCRIPTION=(ADDRESS=(PROTOCOL=ipc)(KEY=EXTPROCL521)))
  (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=vostok)(PORT=1521)))
Services Summary...
Service "ORAL1G" has 1 instance(s).
  Instance "ORAL1G", status READY, has 1 handler(s) for this service...
Service "ORAL1GXDB" has 1 instance(s).
  Instance "ORAL1G", status READY, has 1 handler(s) for this service...
Service "ORAL1GXPT" has 1 instance(s).
  Instance "ORAL1G", status READY, has 1 handler(s) for this service...
```

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

22

Finding Passwords

```
root@vostok:/oracle/11g
root@vostok 11g# find $ORACLE_HOME -name "*" -type f -print | while read x
do
do
> echo "filename is "$x >>/tmp/pwd.lis
> egrep -i 'connect|sqlplus|'identified by"' $x >>/tmp/pwd.lis 2>/dev/null
done
```

This is one of the key searches
Also search the process lists
Also search history
Extend for exp, imp, expdp, impdp, sqlldr.....

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

23

Clean Up


- This is the security killer in most systems I see
- Often file systems include
 - Scripts with passwords or
 - worse rules to change passwords
 - Evidence of password changes...
 - Use tools such as
 - Oracle Password Repository, mkstore, database jobs, OS external users
- Clean up
 - ad-hoc scripts
 - Maintenance evidence
 - Trace files
 - Data files, exports..
 - Audit logs....
- All are evidence of lack of controls!

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

24

Features



25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

25

Defaults

- Defaults are one of the biggest issues in Oracle
- Most default accounts in any software
- Tens of thousands of public privileges granted
- Many default roles and privileges
 - Many application developers use default Roles unfortunately
- Reduce the Public privileges as much as possible
- In your own applications and support
 - Do not use default accounts
 - Do not use default roles including DBA
 - Do not use default passwords

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

26

Database Configuration

- Default database installations cause some weak configurations
- Review all
 - configuration parameters – checklists?
 - File permissions
- Some examples
 - No audit configuration by default (fixed in 10gR2 for new installs)
 - No password management (fixed in 10gR2 new installs)

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

27

The Public Issue


- Just some examples not everything!
- Public gets bigger – (figures can vary based on install)
 - 9iR2 – 12,132
 - 10gR2 – 21,530 – 77.4% more than 9iR2
 - 11gR1 – 27,461 – 27.5% more than 10gR2
- Apex is installed by default in 11g
 - Good example of attack surface increase – BAD!
 - Unless you are writing an Apex application you don't need it
 - There are other examples as well
- More default users with each version!

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

28

Access To Key Data (DBA_USERS)




25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

29

Who Has Key Roles



25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

30

Check Parameters

```

Oracle SQL*Plus
File Edit Search Options Help

check_parameter: Release 1.0.2.0.0 - Production on Thu Nov 22 16:22:56 2007
Copyright (c) 2008 PeteFinnigan.com Limited. All rights reserved.

PARAMETER TO CHECK [util_file_dir]: os_authent_prefix
CURRENT VALUE [util]:
OUTPUT METHOD Screen/File [S]: S
FILE NAME FOR OUTPUT [priv.txt]:
OUTPUT DIRECTORY [DIRECTORY or file (/tmp)]:

Investigating parameter -> os_authent_prefix
-----
Name : os_authent_prefix
Value :
Type : STRING
IS Default : DEFAULT VALUE
IS Session modifiable : FALSE
IS System modifiable : FALSE
IS Modified : FALSE
IS Adjusted : FALSE
Description : prefix for auto-logout accounts
Update Comment :
value ****SPS**** is incorrect

PL/SQL procedure successfully completed.

For updates please visit http://www.peteFinnigan.com/tools.htm
SQL>
    
```

Use the checklists to identify what to check
This parameter setting is not ideal for instance

CIS Benchmark

The Center for Internet Security - Scoring Tool

File Scoring Reporting Benchmarks Help

Score

Scoring

SID: ora92

Oracle User: SYSTEM

Password: *****

Owner Username: Administrator

DBA Group: ORA_DBA

Options

OAS SSL

OAS Native Security

100% complete (269/269)

Level 1	
Host Files	3.97
Database Access	4.91
Policy and Procedure	0.81
Total	3.20
Level 2	
Host Files	2.14
Database Access	1.00
Policy and Procedure	2.56
Total	1.91
Appendix A	
Additional Settings	0.00

CIS Benchmark

Scoring Results

File

Action: os_authent_prefix="" (A null string)

Comments: Setting this ensures that the only way an account can be used externally is by specifying IDENTIFIED EXTERNALLY when creating a user.

Failed Results: os_authent_prefix is not a null string ("") in init.ora

Item #: 1.22 Status: passed

Configuration Item: init.ora

Action: os_roles=FALSE

Comments: OS roles are subject to control outside the database. This separates the duties and responsibilities of DBAs and system administrators.

Item #: 1.23 Status: passed

Configuration Item: init.ora

Action: Settings for util_file_dir param

Comments: Do not use the following settings - Critical information could be read - " " - Allows access to the current directory - Location of the open database trace file - Critical information could be read.

http://www.cisecurity.org/bench_oracle.html
Also look at SCUBA and OScanner as they are free scanners

Get The Basics Right

- OK, we have covered a lot of information
- Concentrate on
 - Checking users passwords
 - Removing default schemas and software not needed
 - Reduce leakage of critical data (passwords and more) from the database and filesystems

Get The Basics Right (2)

- Don't leak network data to allow connection attempts
- Use firewalls or valid node checking to protect the database
- Review privileges and access to key data
- Confirm key configuration is set correctly

What To Do Next

- Fix the basics, then what?
- Use a top 10 / 20 approach
- Use the project lockdown or one of the good checklists to do a more detailed review
- Ensure sound audit plan is in place
- Monitor the database security for compliance

What To Do Next (2)

- Read around the subject
- Read the checklists
- Understand how hackers may steal your data
- This way **YOU** can understand how to protect it

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

37

Decide what to fix (Top 10)

- My extensive experience of auditing Oracle databases is that there are
 - Usually a lot of security issues
 - Usually a lot are serious – i.e. server access could be gained if the issue is not plugged
 - There are constraints on the applications, working practice, practicality of fixing
- The best approach is to classify issues
 - Must fix now (really serious), fix as soon as possible, fix when convenient, maybe more
- Create a top ten / twenty approach

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

38

Auditing an Oracle Database

- Operating security Checklists
 - CIS benchmarks for Windows, Linux, Solaris and more
 - OS check tools – The CIS benchmarks are useful – others are available
- Oracle security checks
 - Most tools are windows centric – don't install them on the prod database servers if you run Windows
 - Audit by hand to gain understanding
 - Audit using a free or commercial tool
 - Get professional help
- Oracle security checklists
 - use and work through
 - these are great resources to start with

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

39

Perform Hardening

- Reduce the features and functions installed – OS and DB
- Harden the OS
- Review RBAC for all users
- Remove defaults – settings, users, passwords
- Decide on secure configuration settings
- Clean up
- Create processes and policies to ensure secure data going forward

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

40

Enable Database Auditing

- Every database I have ever audited has no database audit enabled – ok a small number do, but usually the purpose is for management / work / ??? but not for audit purposes.
- Core audit doesn't kill performance
 - Oracle have recommended 24 core system audit settings since 10gR2 – these can be enabled and added to in earlier databases
 - Avoid object audit unless you analyse access trends then its Ok
- On Windows audit directed to the OS goes to the event Log
- By default all SYSDBA connections are audited – also to the event log on Windows
- VBScript / SQL can be used to access the event log

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

41

Create A Monitoring Process

- Once you are secure or on the way to being secure
- Realise its not a "one-off" process
- Constant monitoring of the database is necessary because
 - New issues arise
 - The database can change shape
 - Your knowledge increases
- Create a monitoring process – this can be a policy, a set of scripts, a commercial tool

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

42

Conclusions

- We didn't mention CPU's – Apply them – they are only part of the process
- Think like a hacker
- Get the basics right first – stop attempted connections or cracking
- Sort out the RBAC, configuration, installed software and privileges
- Use a top 10 approach, it works!

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

43

PeteFinnigan.com Limited

```
create or replace function log_startip_path  
return utl_file.file_type is  
  v_file utl_file.file_type;  
  v_module varchar2(100);  
begin  
  Oracle Security Expertise  
end log_startip_path;
```

Any Questions?

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

44

PeteFinnigan.com Limited

```
create or replace function log_startip_path  
return utl_file.file_type is  
  v_file utl_file.file_type;  
  v_module varchar2(100);  
begin  
  Oracle Security Expertise  
end log_startip_path;
```

Contact - Pete Finnigan

PeteFinnigan.com Limited
9 Beech Grove, Acomb
York, YO26 5LD

Phone: +44 (0) 1904 791188
Mobile: +44 (0) 7742 114223
Email: pete@petefinnigan.com

25/04/2008

Copyright (c) 2008
PeteFinnigan.com Limited

45